

Aarhus
20' x 20' Truss System
Dye Sub Printed

TEMPLATE IS @ 1/4 SCALE
Panels AH1-A, AH3-A, AH1-B, AH3-B:
Total Graphic Area: 43.5" w x 87.75" h
Finished Size: 39.5" w x 83.75" h
Visual Size: 39.5" w x 83.75" h

Panel AH2-A and AH2-B:
Total Graphic Area: 133.75" w x 41.75" h
Finished Size: 129.75" w x 37.75" h
Visual Size: 129.75" w x 37.75" h

Panels AH1-C, AH3-C, AH1-D, AH3-D:
Total Graphic Area: 53" w x 87.75" h
Finished Size: 49" w x 83.75" h
Visual Size: 49" w x 83.75" h

Panels AH2-C and AH2-D:
Total Graphic Area: 97.75" w x 41.75" h
Finished Size: 93.75" w x 37.75" h
Visual Size: 93.75" w x 37.75" h

Panels AH1-E and AH3-E:
Total Graphic Area: 133.75" w x 41.75" h
Finished Size: 129.75" w x 37.75" h
Visual Size: 128.875" w X 36.875" h



Panels AH2-E and AH4-E:
Total Graphic Area: 97.75" w x 41.75" h
Finished Size: 93.75" w x 37.75" h
Visual Size: 92.875" w X 36.875" h

Template requires .5" bleed around the perimeter (2" around the perimeter when scaled to 400% and printed)

FS = Graphic is front side mounted
(3/4" w velcro is applied to the back of the panel)
BS = Graphic is back side mounted
(3/4" w velcro is applied to the front of the panel)
Notching = 7/8" square that is cut into the appropriate location.
Hinging= 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 400-480 ppi @ 1/4 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



FS

OR-G-AH1-E

panel is notched 7/8" on all 4 corners.
Inward hinged on left and right side.

FS

OR-G-AH2-E

panel is notched $7/8''$
on all 4 corners.
Inward hinged on
left and right side.

FS

OR-G-AH3-E

panel is notched 7/8"
on all 4 corners.
Inward hinged on
left and right side.

FS

OR-G-AH4-E

panel is notched $7/8$ "
on all 4 corners.
Inward hinged on
left and right side.

FS
OR-G-AH2-A

— bleed area

— trim line

FS

OR-G-AH2-D

panel is notched $7/8''$
on bottom left and right corners

FS

OR-G-AH2-B

FS

OR-G-AH2-C

panel is notched $7/8''$
on bottom left and right corners

FS

OR-G-AH1-A

FS
OR-G-AH3-A

FS

OR-G-AH1-D

panel is notched $7/8''$
on top right corner

FS

OR-G-AH3-D

panel is notched 7/8"
on top left corner

FS
OR-G-AH1-B

FS
OR-G-AH3-B

FS

OR-G-AH1-C

panel is notched 7/8"
on top right corner

FS

OR-G-AH3-C

panel is notched 7/8"
on top left corner