


Cepheus-2

10' x 20' Truss System

UV Printed



TEMPLATE IS @ 1/2 SCALE

Panels CE2-1, CE2-2, CE2-3:

Total Graphic Area: 26.75" w x 62.75" h

Finished Size: 25.75" w x 61.75" h

Panels CE2-4 and CE2-5:

Total Graphic Area: 48.75" w x 62.75" h

Finished Size: 47.75" w x 61.75" h

Panels CE2-6, CE2-7, and CE2-8:

Total Graphic Area: 26.75" w x 62.75" h

Finished Size: 25.75" w x 61.75" h

Panels CE2-9 and CE2-12:

Total Graphic Area: 72.25" w x 7" h

Finished Size: 71.25" w x 6" h

Panels CE2-10 and CE2-11:

Total Graphic Area: 48.25" w x 7" h

Finished Size: 47.25" w x 6" h

Template requires 1/4" bleed around the perimeter (1/2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted
(3/4" w magnet is applied to the back of the panel)

BS = Graphic is back side mounted
(3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging = 3/4" strip of material that is cropped from the panel and reapplied with hinge tape.

Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS

OR-G-CE2-1

— bleed area

— trim line

BS

OR-G-CE2-2

BS

OR-G-CE2-3

BS
OR-G-CE2-4

BS
OR-G-CE2-5

BS

OR-G-CE2-6

BS

OR-G-CE2-7

BS

OR-G-CE2-8

gray area will
be obstructed
once finished
and mounted

F S O R - G - C E 2 - 9

F S O R - G - C E 2 - 1 0

FSSOR-G-CE2-11

F S O R - G - C E 2 - 1 2