



Zenit
20' x 20' Truss System
Dye Sub Printed



TEMPLATE IS @ 1/2 SCALE

Panels ZE1-A, ZE3-A, ZE5-A, ZE7-A:
Total Graphic Area: 43.5" w x 51.75" h
Finished Size: 39.5" w x 47.75" h
Visual Size: 37.5" w X 45.75" h



Panel ZE2-A, ZE4-A, ZE6-A, ZE8-A:
Total Graphic Area: 43.5" w x 87.75" h
Finished Size: 39.5" w x 83.75" h
Visual Size: 37.5" w X 81.75" h

Panels ZE1-B, ZE2-B, ZE1-C, ZE2-C:
Total Graphic Area: 53" w x 87.75" h
Finished Size: 49" w x 83.75" h
Visual Size: 49" w x 83.75" h

Panels ZE3-B, ZE4-B, ZE3-C, ZE4-C:
Total Graphic Area: 43.5" w x 87.75" h
Finished Size: 39.5" w x 83.75" h
Visual Size: 39.5" w x 83.75" h

Template requires 1" bleed around the perimeter (2" around the perimeter when scaled to 200% and printed)

FS = Graphic is front side mounted
(3/4" w velcro is applied to the back of the panel)

BS = Graphic is back side mounted
(3/4" w velcro is applied to the front of the panel)

Notching = 7/8" square that is cut into the appropriate location.

Hinging = 3/4" strip of material that is created by notching the graphic. Allows two graphics to share the same extrusion corner.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120ppi @ 100% size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

BS

OR-G-ZE1-A

BS
OR-G-ZE2-A

— bleed area
— trim line

BS

OR-G-ZE3-A

BS

OR-G-ZE4-A

BS

OR-G-ZE5-A

BS

OR-G-ZE6-A

BS

OR-G-ZE7-A

BS
OR-G-ZE8-A

gray area will
be obstructed
once finished
and mounted

FS

OR-G-ZE1-B

OUTSIDE CURVE

FS

OR-G-ZE2-B

OUTSIDE CURVE

FS

OR-G-ZE3-B

INSIDE CURVE

FS

OR-G-ZE4-B

INSIDE CURVE

FS

OR-G-ZE1-C

OUTSIDE CURVE

FS

OR-G-ZE2-C

OUTSIDE CURVE

FS

OR-G-ZE3-C

INSIDE CURVE

FS

OR-G-ZE4-C

INSIDE CURVE