REAL ESTATE SIGN POST

OUTDOOR BANNER STANDS PRODUCT CODE: RESP





Shown with Small Graphic



PRODUCT DESCRIPTION

Our Real Estate Sign Post kits include everything a Realtor would need for their For Sale or Open House signage. Constructed of high grade PVC vinyl, the port and arm will not peel, pit, rot, blister, warp, crack or consumed by bugs/insects, so it will last for years outdoors. Setup is quick and easy and includes everything required for assembly minus a hammer that is needed to drive the stake into the ground.

The main post dims are 4" W x 4" D x 72" H with an overall arm length of 36". Graphics are UV printed on both sides 4mm thick coroplast with two main graphic sizes available 23.5" W x 18" H and 23.5" W x 24" H with an optional rider graphic (23.5" W x 6"H) to display up top. #2 grommets are added to the top edge of the main graphic for extra reinforcement for the graphic clips.

 GRAPHIC
 SIZE
 23.5"W x 18"H or 23.5"W x 24"H (main)
 23.5"W x 6" H (optional rider)

GRAPHIC MATERIAL

4mm Thick Coroplast with UV Print

GRAPHIC FINISHING

Main Graphic: cut to size with (qty 2) #2 brass grommets added to top edge

Rider Graphic: cut to size

DISPLAY CONSTRUCTION

PVC Vinyl Sign Post w/Stainless Steel Stake


SHIPPING WEIGHTS & DIMENSIONS

11 3 3	20 lbs (Hardware Only) 1 lbs (Graphic)
11 3	72" L x 4" W x 4" H (Hardware) 24" L x 18" W x 3" H (Graphic) or 24" L x 24" W x 3" H (Graphic)

GRAPHIC TURN AROUND TIME

3 business days after proof approval for up to 10 sets

AVAILABILITY CA, PA, and PFC




Shown with Large Graphic & Optional Rider

PRODUCT CODE: RESP




PARTS LIST






TEMPLATE






SET UP INSTRUCTIONS



Use a screwdriver and attached screws to fix the rider clips on top of the post arm. Then insert the sign clip screw through the arm, and fix the screw.



Installation Steps

Step 1

Use a hammer to drive the Steel Anchor into gound. Make sure that anchor is straight while hammering. The anchor should be driven downwards until the bottom plate is flush with the ground. The bottom plate should be facing forward in the desired direction of real estate post arm.

> Slide the vinyl real estate post voer the anchor until it touches the ground. The hole on the post should be at the top and facing in the desired direction of the sign arm.

Step 2



Step 5

Step 5

Slide the key into the slots

of the real estate post arm until it locks in place. This will secure the arm.

Step 6

Slide the post cap onto the top of the real estate post. And slide the rail cap onto both side of the arm.

